



SAFETY DATA SHEET Probiotic Solutions® X-Tend

HMIS			
HEALTH	1		
FLAMMABILITY	0		
PHYSICAL HAZARD	0		
PPE	Α		

PRODUCT IDENTIFIER: Probiotic Solutions® X-Tend | Product# 017

GENERAL USE: Used as a multi-nutrient product for bioremediation of soil and/or water.

PRODUCT DESCRIPTION: A clear to hazy, brown liquid having no characteristic odor.

SUPPLIER INFORMATION: Bio Huma Netics

1331 W Houston Avenue Gilbert. AZ 85233

For Additional SDS call: PHONE: (480) 961-1220

EMERGENCY PHONE NUMBERS

CHEMTREC: (In the USA) 800-424-9300

(International) 703-527-3887

SECTION 2: HAZARDS IDENTIFICATION

HAZARDS OVERVIEW: A clear to hazy, brown, moderately alkaline liquid having no characteristic odor. The liquid and mists may be irritating to the eyes and possibly the skin. Inhalation of mists may be irritating to the entire respiratory tract. Ingestion of this product may cause gastrointestinal irritation, with possible cardiovascular and central nervous system effects.

CLASSIFICATION: HAZARD CATEGORY 5 - MAY BE HARMFUL IF SWALLOWED

SIGNAL WORD: WARNING

HAZARD STATEMENT: H303 - WARNING - may be harmful if swallowed

PRECAUTIONARY STATEMENT: P312; Call a poison center/doctor/physician if you feel unwell

CLASSIFICATION: HAZARD CATEGORY 3 - MILD SKIN IRRITATION

SIGNAL WORD: WARNING

HAZARD STATEMENT: H316 - WARNING - causes mild skin irritation

PRECAUTIONARY STATEMENT: P332+P313; If skin irritation occurs: Get medical attention/advice.

SECTION 3: COMPOSITION & INFORMATION ON INGREDIENTS

COMPONENT		OSHA HAZARD		ACGIH		OSHA	
	CAS#		<u>WT %</u>	$TLV_{(TWA)}$	STEL	$PEL_{(TWA)}$	STEL
Diammonium Phosphate	7783-28-0	Eye Irritant; Slight to Moderate Skin & Respiratory Irritant; Slightly Toxic by Ingestion: Central Nervous System toxin	8 ± 1	None	None	None	None
Urea	57-13-6	Eye Irritant; Slight to Moderate Skin & Respiratory Irritant; Slightly Toxic by Chronic Dermal Contact & Inhalation, with Cardiovascular & Central Nervous System effects.	3 ± 1	None AIHA WEEL: 10 mg/m³	None	None	None
				NDA =	No Data Available	N/A = N	lot Applicable

SECTION 4: FIRST AID MEASURES

INHALATION: If inhaled, immediately move to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. If

breathing is difficult, give oxygen. Call a physician.

EYE CONTACT: In case of contact, immediately flush eyes with plenty of clean running water for at least 15 minutes, lifting the upper

and lower lids occasionally. Remove contact lenses, if worn. Get medical attention if irritation persists.

SKIN CONTACT: In case of contact, flush skin with plenty of clean running water. Remove contaminated clothing and shoes and wash

before reuse. If irritation occurs and persists, get medical attention.

INGESTION: If large quantities of this product are swallowed, call a physician immediately. DO NOT induce vomiting unless

directed to do so by medical personnel. Never give anything by mouth to an unconscious person.

NOTE TO PHYSICIANS:

Based on component information, this product may be slightly toxic by ingestion. If a large amount is ingested, consideration should be given to careful endoscopy as stomach or esophageal irritation may occur, with possible

central nervous system effects following absorption into the blood stream. Careful gastric lavage with an

endotracheal tube in place should be considered. Treat exposure symptomatically.

SECTION 5: FIRE FIGHTING MEASURES

Flashpoint and Method: This product does not flash.

Flammable Limits (in air, % by volume) **Lower:** Not applicable Upper: Not applicable

Autoignition Temperature: Not applicable

GENERAL HAZARD: This product is an agueous, moderately alkaline solution of organic and inorganic compounds. The Uniform Fire

Code health hazard classification for this product is: **Irritant**. It may produce hazardous decomposition products.

FIRE FIGHTING INSTRUCTIONS: **EXTINGUISHING MEDIA:** Water, foam, CO₂ or dry chemicals.

Use a water spray or fog to cool the containers exposed to the heat of a fire.

FIRE FIGHTING EQUIPMENT: Fire fighters should wear full protective equipment, including self-contained breathing

apparatus.

HAZARDOUS COMBUSTION PRODUCTS: When heated to dryness and decomposition, it emits toxic Ammonia gas, with toxic carbon

monoxide, carbon dioxide, phosphorus oxides and nitrogen oxides with trace or ultra-trace toxic oxide amounts, of iron, manganese, magnesium, potassium, sulfur, calcium, zinc and

sodium.

SECTION 6: ACCIDENTAL RELEASE MEASURES

RELEASE TO LAND:

Wearing recommended protective equipment and clothing, dike the spill and pick up the bulk of liquid using pumps or a vacuum truck, or absorb the liquid in sand or a commercially absorbent material. Place in approved containers for recovery, disposal, or satellite accumulation. Neutralize the alkalinity, of the remaining liquid, using a dilute acid

solution appropriate for neutralizing alkaline liquids. Liberally cover the spill area with sodium bicarbonate. Flush the

spill area with water; collect the rinsates for disposal or sewer, as appropriate.

RELEASE TO

Wear recommended protective equipment and clothing if contact with hazardous material can occur. Stop or divert WATER:

water flow. Dike contaminated water and remove for disposal and/or treatment. As appropriate, notify all downstream

users of possible contamination.

SECTION 7: HANDLING AND STORAGE

STORAGE TEMPERATURE: STORAGE PRESSURE: Ambient Ambient

GENERAL: Store in a cool, dry, well-ventilated area, away from incompatible materials and products. Protect eyes, skin and clothing

> from contact with product. Wear recommended personal protective equipment when handling this product. Avoid breathing vapors or mists. Use with adequate ventilation. Do not take internally. Keep the container tightly closed when

not in use. Wash thoroughly after handling this product.

SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

CONTROL Use a local or general, mechanical exhaust ventilation system capable of maintaining emissions, in the work area,

MEASURES: above the AIHA WEEL or levels that may cause irritation.

RECOMMENDED PERSONAL PROTECTIVE EQUIPMENT

RESPIRATOR: Respiratory protection is not normally required. If use produces mists or aerosols that may cause irritation, a NIOSH

approved half mask or full facepiece respirator equipped with a good mist / particulate cartridge or supplied air is recommended. **Note:** Always consult the respirator manufacturer's data when determining the suitability of

respiratory protective devices prior to use.

EYES: Wear chemical goggles (recommended by ANSI Z87.1-1979), unless a full facepiece respirator is worn. Note:

Always consult the protective eyewear manufacturer's data when determining the suitability of protective eyewear

prior to use.

EQUIPMENT:

GLOVES: Wear Neoprene, Nitrile, Butyl Rubber or Natural Rubber gloves. Note: Always consult the glove manufacturer's

permeation data when determining the suitability of gloves prior to use.

CLOTHING & Wear a Neoprene, Nitrile, Butyl Rubber or Natural Rubber apron when handling this product. An eye wash station

and safety shower should be available in the work area. Note: Always consult the clothing/equipment

manufacturer's permeation data when determining the suitability of clothing/equipment prior to use.

FOOTWEAR: Wear Neoprene, Nitrile, Butyl Rubber or Natural Rubber boots. Note: Always consult the footwear manufacturer's

permeation data when determining the suitability of footwear prior to use.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES						
Appearance:	Clear to hazy, brown	Bulk Density (pounds/ft³):	Not applicable			
Physical State:	Liquid	Vapor Pressure:	No data available			
Odor:	No characteristic	Vapor Density (air=1):	No data available			
Odor Threshold:	No data available	Evaporation Rate (n-Butyl Acetate=1):	Less than 1			
Molecular Formula:	Mixture	VOC Content:	Nil			
Molecular Weight:	Not applicable	% Volatile:	Approximately 88			
Boiling Point:	Greater than 100° C. (212° F.)	Solubility in H₂O:	Soluble			
Freezing/Melting Point:	Less than 0° C. (32° F.)	Octanol/Water Partition Coefficient:	No data available			
Specific Gravity:	1.04 – 1.06 @ 20° C.	pH (as is):	8.0 - 9.5			
Density (pounds/gallon):	Approximately 8.68	pH (1% solution):	No data available			

SECTION 10: STABILITY AND REACTIVITY

GENERAL: This product is stable and hazardous polymerization will not occur.

CONDITIONS TO AVOID: Do not store this product below 50° F (10° C) or above 90° F (30° C)

INCOMPATIBLE MATERIAL: Oxidizers, caustics & strong alkali and all acids or acidic materials.

HAZARDOUS DECOMPOSITION PRODUCTS: When heated to dryness and decomposition, it emits toxic Ammonia gas, with toxic

oxides of carbon, phosphorus and nitrogen with trace or ultra-trace toxic oxide amounts, of sulfur, potassium, iron, manganese, magnesium, calcium, zinc and

sodium.

SENSITIVITY TO MECHANICAL IMPACT: This product is <u>not</u> sensitive to mechanical impact.

SENSITIVITY TO STATIC DISCHARGE: This product is <u>not</u> sensitive to static discharge.

SECTION 11: TOXICOLOGICAL INFORMATION

Components: <u>Diammonium Phosphate</u> <u>Urea</u>

Eye Contact: No data available No data available

Skin Contact: No data available No data available

Oral Rat LD₅₀: Greater than 1,000 mg/kg 8,471 mg/kg

Dermal Rabbit LD₅₀: No data available (Rabbit, Subcutaneous LD_{Lo}: 3 gm/kg)

Inhalation Rat LC₅₀: No data available (Rat, Inhalation, Chronic – Multiple Dose,

288 mg/m³/17 weeks; Toxic effects: Kidney, Ureter & Bladder – Other changes in urine composition; Blood – Other changes;

Nutritional and gross metabolic changes.)

Human Data: No data available Human: 22 mg/3 days; Mild

Other Toxicological Data: No data available Rat, Dermal, Chronic – Multiple Dose, 3,024 mg/kg/4 weeks;

Toxic effects: Liver - Changes in Liver weight; Endocrine -

Changes in Thymus weight; Death.

Carcinogenicity: No data available Oral Rat TD_{Lo}: 821 gm/kg/1 year; Tumorigenic – Neoplastic by

RTECS criteria; Blood - Tumors; Blood - Lymphomax

including Hodgkin's disease.

Teratogenicity: No data available Intraplacental Woman TD_{Lo}: 1,400 mg/kg (female 16 Weeks

pregnant); Effects on Fertility - Abortion

Mutagenicity: No data available Human DNA Inhibition; lymphocyte: 600 mmol/Liter

Synergistic Products: None reported

Target Organs: Eyes, Skin, Lungs & Central Nervous System Eyes, Skin, Mucous membranes, Lungs, Cardiovascular &

Central Nervous Systems

None reported

Medical Conditions

Aggravated By Exposure:

Skin or Respiratory disorders

Skin, Respiratory or Cardiac disorders

SECTION 12: ECOLOGICAL INFORMATION

ENVIRONMENTAL FATE:

This product is soluble in water and may slightly affect the pH of water. No specific environmental fate data is available.

ENVIRONMENTAL CONSIDERATIONS:

The aquatic toxicity for this product has not been determined.

SECTION 13: DISPOSAL CONSIDERATIONS

RCRA 40 CFR 261 CLASSIFICATON: Non-RCRA Hazardous Waste (United States)

U.S. EPA WASTE NUMBER/DESCRIPTION: Not Applicable

If this product is disposed of as shipped, it does not meet the criteria of a hazardous waste as defined under 40 CFR 261, in that it does not exhibit the characteristics of a hazardous waste of Subpart C, nor is it listed as a hazardous waste under Subpart D due to toxicity. As a non-RCRA hazardous liquid waste, it should be disposed of in accordance with all local, state, and federal regulations. Consult state or local officials for proper disposal method.

SECTION 14: TRANSPORTATION INFORMATION

DOT PROPER SHIPPING NAME: Not DOT Regulated (United States)

Hazard Class: Not applicable UN Number: N/A Packing Group: N/A

Primary Label: Not applicable Subsidiary Label(s): None Required

Primary/Subsidiary Placards: None Required

DOT Reportable Quantity (RQ): Not Listed RQ for Product: Not Applicable

Marine Pollutant: No

2012 North American Emergency Response Guidebook No.: Not applicable

TDG PROPER SHIPPING NAME: NOT RESTRICTED

Hazard Class: Not applicable UN Number: N/A Packing Group: N/A

Primary Label: None Required Subsidiary Label(s): None Required

Primary/Subsidiary Placards: None required

TDG Reportable Quantity (RQ): * Not applicable
TDG Schedule XII: Not applicable

Regulated Limit (RL): ** Not Listed RL for Product: Not Applicable

Other Shipping Information: None

SECTION 15: REGULATORY INFORMATION

COMPONENTS: <u>Diammonium Phosphate</u> <u>Urea</u>

OSHA Target Organs: Eyes, Skin, Lungs & Central Eyes, Skin, Mucous Nervous System Eyes, Skin, Mucous Lungs.

em membranes, Lungs, Cardiovascular & Central

Nervous Systems

Carcinogenic Potential:

Regulated by OSHA:NoNoListed on NTP Report:NoNoListed by IARC:NoNo

IARC Group:Not applicableNot applicableACGIH Appendix A:Not listedNot listedA1 Confirmed Human:Not applicableNot applicableA2 Suspected Human:Not applicableNot applicable

U.S. EPA Requirements

Release Reporting

CERCLA (40 CFR 302)

Listed Substance: Not listed Not listed Reportable Quantity: Not applicable Not applicable Category: Not applicable Not applicable Not applicable RCRA Waste No.: Not applicable **Unlisted Substance:** Not applicable Not applicable Not applicable Not applicable Reportable Quantity: Characteristic: Not applicable Not applicable RCRA Waste No.: Not applicable Not applicable

^{*} Canadian Transportation of Dangerous Goods Regulations (TDGR), Part IX, Table I, Quantities or levels for Immediate Reporting: releases of reportable quantities, RQ, that meet the definition of a "dangerous occurrence" (a threat to life, health, property, or the environment) must be reported to the appropriate authorities as outlined in TDGR 9.13(1) and 9.14(1). ** Reporting to Environment Canada is required for any releases exceeding the regulated limits, RL, of 9.2 materials (primary or secondary). The regulated limits are found in Schedule XIII of the TDGR.

SECTION 15: REGULATORY INFORMATION (Continued from page 5)

COMPONENTS: Diammonium

Phosphate Urea

SARA TITLE III

Section 302 & 303 (40 CFR 355):

Listed Substance:Not listedNot listedReportable Quantity:Not applicableNot applicablePlanning Threshold:Not applicableNot applicable

Section 311 & 312 (40 CFR 370):

Hazard Categories (product): Fire: N Sudden Release of Pressure: N Reactive: N Acute Health: Y Chronic Health: N

Planning threshold: 10,000 pounds 10,000 pounds

Section 313 (40 CFR 372):

Listed Toxic Chemical: Yes (Aqua Ammonia) Not listed

Reporting Threshold: 10,000 pounds Not applicable

U.S. TSCA Status

Listed (40 CFR 710): Yes Yes

State Regulations

State of California: Safe Drinking Water and Toxins Enforcement Act, 1986 (Proposition 65):

Carcinogen: No No No Reproductive Toxin: No No No

Other Regulations

State Right To Know Laws: None Known

Canadian Regulations

Product Information:

Controlled Product: Yes

WHMIS Hazard Symbols: Material Causing Other Toxic Effects

WHMIS Class & Division: D.2B

Ingredient Information:

 IDL Substance:
 No
 No

 DSL or NDSL Lists:
 DSL
 DSL

SECTION 16: OTHER INFORMATION

EPA Registration number: Not applicable

Approved Product Uses: Used as part of a plant nutrition program.

Special Notes:

This product is not manufactured, or formulated to contain substances, which the State of California has found to cause cancer and/or birth defects or other reproductive harm. However, as it contains mined minerals, this product may contain trace (parts per million) or ultra-trace (parts per billion) of elements known to the State of California to cause cancer, birth defects or other reproductive harm.

Special Instructions: Store X-Tend® in a cool, dry, well ventilated, area away from incompatible materials and products. Do not add this product to strong alkali or caustic materials, as this will liberate toxic, corrosive Ammonia gas.

SDS Revision Information: Revised Date: 10/11/16

SDS Distributed by: Bio Huma Netics

Prepared By: Frank S. Pidgeon, Sr. EHS Director Date Prepared: October 21, 2014

This Material Safety Data Sheet is provided as an information resource only. It should not be taken as a warranty or representation for which Bio Huma Netics assumes legal liability. While Bio Huma Netics believes the information contained herein is accurate and compiled from sources believed to be reliable, it is the responsibility of the user to investigate and verify its validity. The buyer assumes all responsibility of using and handling the product in accordance with applicable federal, state, and local regulations.